AK

	Application No.	Applicant(s)
	, , , p	
Notice of Allowability	10/719,941 Examiner	HAYES, ROBERT R.
Notice of Allowability	Examiner	Artomi
	John D. Lee	2874
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the community or other appropriate communities. This application is sub-	nis application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-33</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority up a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		(f).
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner' Paper No./Mail Date	's Amendment / Comment or in	the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the sheet in the sheet.		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
 Notice of References Cited (PTO-892) 	Notice of Infor	mal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Sum	nmary (PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1103	08), 7. ☐ Examiner's Ar	ail Date mendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's St	atement of Reasons for Allowance
2. Diological material	9.	
		John D. Jee John D. Lee Brimany Examinar

Application/Control Number: 10/719,941

Art Unit: 2874

EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE

The following is an Examiner's Statement of Reasons for Allowance: After extensive search by the undersigned Examiner, it has been concluded that the prior art does not disclose or suggest a method and apparatus for channelizing amplitude modulated optical signals involving the specific steps and elements set forth in applicant's claims 1 and 18, respectively (i.e. first and second amplitude modulators, one of which modulates a frequency comb having equal channel spacing onto an optical signal to generate a plurality of local oscillator optical signals; optical waveguides; first optical resonators having different predetermined resonant frequencies corresponding to different predetermined channels of the frequency comb to remove a particular channel; second optical resonators having different predetermined resonant frequencies corresponding to different resonant frequencies of corresponding first optical resonators to remove the corresponding local oscillator optical signal; and a plurality of photodetectors for summing the removed channel and local oscillator signals to generate a plurality of sub-band data signals). There are several known optical data channelizing methods and systems as evidenced by the prior art documents cited on the attached forms PTO-892 and PTO-1449. None of the known methods and systems, however, utilizes the same steps and elements set forth in applicant's claims. Claims 1-33 herein are therefore allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/719,941

Art Unit: 2874

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

DISCUSSION OF THE CITED PRIOR ART

The prior art made of record by the Examiner and not relied upon is considered

pertinent to applicant's disclosure. U.S. Patent 4,468,766 to Spezio, U.S. Patent

6,269,200 to Wickham et al, U.S. Patent 6,901,224 to Davis describe modulation-based

optical channelizers, but none includes the same arrangement of elements as

applicant's. U.S. Patent Application Publication 2003/0090767 A1 to Yap et al

describes an RF lightwave waveform generator that is similar to the channelizers of the

three just-mentioned U.S. Patents.

The prior art cited by the applicant on the attached form PTO-1449 also shows

related methods and systems, all of which are different from the method and system

claimed herein. All of these cited documents have been considered and made of record

(note the attached initialed copy of form PTO-1449).

Any inquiry concerning the merits of this communication should be directed to

Examiner John D. Lee at telephone number (571) 272-2351. The Examiner's normal

work schedule is Tuesday through Friday, 6:30 AM to 5:00 PM. Any inquiry of a general

or clerical nature (i.e. a request for a missing form or paper, etc.) should be directed to

the Technology Center 2800 receptionist at telephone number (571) 272-1562, to the

Application/Control Number: 10/719,941

Art Unit: 2874

Page 4

technical support staff supervisor (Team 8) at telephone number (571) 272-1564, or to the Technology Center 2800 Customer Service Office at telephone number (571) 272-1626.

John D.(Lee
Primary Patent Examiner
Group Art Unit 2874